

**Notice of Allowability**

Application No.

10/055,691

Examiner

Mary J. Steelman

Applicant(s)

ANDRADE ET AL.

Art Unit

2191

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/8/2005.
2. ☒ The allowed claim(s) is/are 1-88 (renumbered in order).
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 10/26/04, 8/8/05
- ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
- ☐ Examiner's Amendment/Comment
- ☒ Examiner's Statement of Reasons for Allowance
- ☐ Other \_\_\_\_\_

### **DETAILED ACTION**

1. This Office Action is in response to RCE, Amendments, and Remarks received 8 August 2005. Per Applicant's request, claims 19-22, 29, 46, 59, 69, 76, and 85 have been amended. Claims 1-88 are pending.

#### ***Information Disclosure Statement***

2. IDS received (re-submission of IDS received 6 January 2005) has been considered.

#### ***Allowable Subject Matter***

3. Claims 1-88 are allowed.

4. The following is an examiner's statement of reasons for allowance:

Regarding independent claim 1, as Applicant has noted on page 21, 2<sup>nd</sup> paragraph of Remarks, cited prior arts, taken alone or in combination, fail to disclose:

“wherein the memory stores the program specifying a function, wherein the program is convertible into a hardware configuration program which specifies a configuration for the programmable hardware element that implements the function, and where the hardware configuration program further specifies usage of the one or more fixed hardware resources by the programmable hardware element in performing the function;

wherein the programmable hardware element is further configurable with a test feed-through configuration, wherein, after configuration with the test feed-through configuration, the programmable hardware element provides for communication between the program and the one or more fixed hardware resources; and

Art Unit: 2191

wherein, for debugging purposes, the program is further executable by the processor of the computer system to test performance of the function including the usage of the one or more fixed hardware resources.”

These limitations are similarly recited in all other independent claims, claims 16, 23, 29, 46, 59, 69, 76, and 85. Thus all remaining dependent claims, claims 2-15, 17-22, 24-28, 30-45, 47-58, 60-68, 70-75, 77-84, and 86-88, are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

### ***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant’s disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Steelman, whose telephone number is (571) 272-3704. The examiner can normally be reached Monday through Thursday, from 7:00 AM to 5:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Wei Zhen can be reached at (571) 272-3708. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2191


Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: 571-272-2100.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mary Steelman



10/27/2005



**WEI Y. ZHEN**  
**PRIMARY EXAMINER**